

Poster Directory

Listing is in alphabetical order by presenting author last name.
Abstract page numbers are indicated at the end of listings [example: "... (p. 2)"]

Poster

No.

- 24.....**A Review of *Ruppia maritima* in Relation to Salinity in Northeastern Florida Bay** — *Christian L. Avila¹ and Peter Frezza²*; ¹Miami-Dade Department of Environmental Resources Management (DERM), Miami, FL; ²Audubon of Florida, Tavernier Science Center, Tavernier, FL (p. 45)
- 25.....**Seagrass Communities of Biscayne Bay, 1999-2007 Miami-Dade County** — *Christian L. Avila, Stephen Blair, Sheri Kempinski, Santiago Acevedo and Jonathan Sidner¹*; ¹Ecosystem Restoration & Planning Division, Miami-Dade County Department of Environmental Resources Management. Miami, FL..... (p. 47)
- 27.....**Effects of Light and Nutrient Supply on Stable Isotope Composition and Fractionation in N-Limited Seagrass Beds** — *Rebecca J Bernard¹ and James W Fourqurean²*; ¹ Florida International University, Department of Biological Sciences, Miami, FL, USA; ² Florida International University, Department of Biological Sciences and SERC, Miami, FL, USA (p. 51)
- 26.....**Recovery Status of Submerged Aquatic Vegetation in Manatee Bay, Barnes Sound and Northeastern Florida Bay Following Senescence of a Prolonged Algal Bloom** — *Stephen Blair¹, David T. Rudnick², Christian Avila¹, Forrest Shaw¹, Maurice Pierre¹; Kathrynne Wilson¹ and Susan Markley¹*; ¹Ecosystem Restoration & Planning Division, Miami-Dade County Department of Environmental Resources Management. Miami, FL; ² Everglades Division, South Florida Water Management District, West Palm Beach, FL (p. 53)
- 13.....**Nutrient Loading in the Coastal Creeks of Northeastern Florida Bay** — *Carrie Boudreau¹, Mark Zucker¹ and Jeff Woods¹*; ¹U.S. Geological Survey, Florida Integrated Science Center, Ft. Lauderdale, FL, USA (p. 55)
- 9.....**Species Composition of Cyanobacterial Blooms in Florida Bay** — *Joseph N. Boyer¹, Makoto Ikenaga², Amanda Dean¹, and Cristina Pisani¹*; ¹Southeast Environmental Research Center, Florida International University, Miami, FL, USA; ²Department of Life Science, Ritsumeikan University, Shiga, Japan..... (p. 56)
- 28.....**Interspecific Variation in the Elemental and Stable Isotopic Content of Seagrass Communities in South Florida** — *Justin E. Campbell¹ James W. Fourqurean¹* ¹Florida International University, Miami FL (p. 63)
- 18.....**Florida Bay Salinity Extremes at Long Key** — *Andrew G. Crowder and Jonathan S. Fajans*, SEAKEYS Monitoring Program, Florida Institute of Oceanography, Long Key, FL, USA (p. 68)
- 29.....**Salinity, Light, and Temperature Effects on *Ruppia maritima* Germination in Florida Bay** — *Marguerite S. Koch¹, Josh Filina¹, Jackie Boudreau¹, Stephanie Schopmeyer¹, and Chris J. Madden²*; ¹Biological Sciences Department, Florida Atlantic University, Boca Raton, FL, USA; ²South Florida Water Management District, West Palm Beach, FL, USA (p. 72)
- 34.....**Enhancing Adaptive Management Processes through Data Integration and Visualization** — *Gregory Kiker¹, James Hendee², Yuncong Li³, Chuanmin Hu⁴, Pamela Fletcher⁵, Lew Gramer⁶*; ¹University of Florida, Gainesville, Florida, USA; ²NOAA/AOML, Miami, Florida, USA; ³University of Florida, Homestead, Florida, USA; ⁴University of South Florida, St. Petersburg, Florida USA; ⁵Florida Sea Grant, NOAA/AOML, Miami, Florida, USA; ⁶University of Miami, Miami, Florida, USA (p. 75)

Poster

No.

- 22 **Halimeda Dynamics Relative to Nutrients Availability in the Florida Keys** — *Ligia Collado-Vides*^{1,2} and *James W. Fourqurean*^{1,2}; ¹Department of Biological Sciences; ² Southeast Environmental Research Center, Florida International University, Miami, FL, USA(p. 77)
- 23 **Long-term Shifts in Seagrass Community Structure Follow Experimental Nutrient Enrichment in Florida Bay** — *Anna R. Armitage*¹, *Thomas A. Frankovich*², and *James W. Fourqurean*²; ¹Department of Marine Biology, Texas A&M University-Galveston, Galveston, TX, USA; ²Department of Biological Sciences and Southeastern Environmental Research Center, Florida International University, Miami, FL, USA(p. 79)
- 30 **Relationships Between Submerged Aquatic Vegetation Abundance and Salinity Variability within the Coastal Mangrove Zone of Northeastern Florida Bay** — *Peter Frezza* and *Jerome J. Lorenz*, Audubon of Florida, Tavernier Science Center, Tavernier, FL.....(p. 85)
- 1 **The Use of Otolith Microchemistry to Determine Sources of Lutjanid Recruits to the Dry Tortugas Ecological Reserve** — *T. Gerard*¹, *A. Wright*², *E. Malca*², *John Lamkin*¹; ¹National Oceanic and Atmospheric Administration (NOAA), Southeast Fisheries Science Center, Early Life History; Miami, FL; ²University of Miami, Cooperative Institute for Marine and Atmospheric Studies (CIMAS), Miami, FL.....(p. 86)
- 35 **Assessing Gaps in Florida’s Marine and Estuarine Conservation Network** — *Laura Geselbracht*¹ and *Douglas Shaw*²; ¹The Nature Conservancy, Wilton Manors, FL, USA; ²The Nature Conservancy, Gainesville, FL, USA.....(p. 87)
- 36 **WCA 3 Decompartmentalization and Sheetflow Enhancement Project Implications to Florida Bay** — *Brooke Hall*¹, *Beth Marlowe*², *Sue Wilcox*², and *Tom St Clair*³; ¹Parsons, Everglades Partners Joint Venture, Jacksonville, FL, USA; ²United States Army Corps of Engineers, Jacksonville, FL, USA; ³PBS&J, Everglades Partners Joint Venture, Jacksonville, FL, USA(p. 90)
- 19 **Patterns of Propeller Scarring of Seagrass in Florida Bay: Associations with Physical and Visitor Use Factors and Implications for Natural Resource Management** — *David E. Hallac*, *Jimi Sadle*, *Leonard Pearlstine*, and *Fred Herling*, Everglades and Dry Tortugas National Parks, South Florida Natural Resources Center, Homestead, FL.....(p. 93)
- 37 **Minimum Inflow Analyses in Adjacent Systems: Why Are They Different?** — *Melody J. Hunt*, Water Supply Department, South Florida Water Management District, West Palm Beach, FL, USA.....(p. 101)
- 17 **Biscayne Bay Salinity Monitoring Program** — *Sarah Bellmund*¹, *Herve Jobert*², *Greg Garis*¹, *Steve Blair*³, and *Amy Renshaw*⁴; ¹Biscayne National Park, Homestead, FL, USA; ²Rosenstiel School of Marine and Atmospheric Sciences, University of Miami, Miami, FL, USA; ³Miami-Dade County Department of Environmental Resources Management, Miami, FL, USA; ⁴South Florida Natural Resources Center, Everglades National Park, Homestead, FL, USA(p. 103)
- 3 **Factors Affecting Seagrass and Mangrove Fauna Adjacent to the South Biscayne Bay Shoreline** — *Darlene R. Johnson*¹, *Joan A. Browder*², *Joseph E. Serafy*², *Michael B. Robblee*³, *Thomas L. Jackson*², *Gladys Liehr*¹, *Eric Buck*¹, and *Brian Teare*¹; ¹CIMAS/RSMAS, University of Miami, Miami, FL, USA; ²Southeast Fisheries Science Center, National Marine Fisheries Service/ NOAA, Miami, FL, USA, ³United States Geological Survey, Center for Water and Restoration Studies, Everglades National Park Field Station.....(p. 105)

PosterNo.

- 2.....**Juvenile Spotted Seatrout Power Analysis and Monitoring for Florida Bay** — *Christopher R. Kelble¹, Clay E. Porch², Allyn B. Powell³, Mike Lacroix³, Michael Greene³ and Joan Browder²*; ¹Cooperative Institute for Marine and Atmospheric Studies, Rosenstiel School of Marine and Atmospheric Science, University of Miami, Miami, FL, USA; ²NOAA/NMFS Southeast Fisheries Science Center, Miami, FL, USA; ³NOAA Center for Coastal Fisheries and Habitat Research, Beaufort, NC USA.....(p. 109)
- 11.....**Interactive Effects of Eastern Florida Bay Algal Blooms and Lake Surprise Restoration: Timing is Everything** — *Stephen P. Kelly, Christopher J. Madden, David T. Rudnick and Kevin M. Cunniff*, Everglades Division, Watershed Management Department, South Florida Water Management District, West Palm Beach, FL, USA.....(p. 114)
- 8.....**Phycobilin Analysis Protocol Development for Ground-truthing Cyanobacterial Field Monitoring in Florida Bay and Adjacent Marine Systems** — *J. William Louda¹, Stephen P. Kelly² and Panne Mongkhonsri¹*; ¹Organic Geochemistry Group, Department of Chemistry and Biochemistry, Florida Atlantic University, Boca Raton, FL; ²Everglades Division, South Florida Water Management District, West Palm Beach, FL.....(p. 125)
- 7.....**Pigment-based Chemotaxonomy of Florida Bay Phytoplankton and the Influences of Photic Flux** — *J. William Louda, Cidya S. Grant and Panne Mongkhonsri*; Organic Geochemistry Group, Department of Chemistry and Biochemistry, Florida Atlantic University, Boca Raton, FL.....(p. 127)
- 21.....**Florida Bay Seagrass Dynamics: A Modeling Study of Interspecific Competition, Salinity, and Nutrient Control** — *Amanda A. McDonald¹, Christopher J. Madden¹, and Marguerite S. Koch²*; ¹Everglades Division, South Florida Water Management District, West Palm Beach, FL, USA; ²Department of Biological Sciences, Florida Atlantic University, Boca Raton, FL, USA.....(p. 135)
- 14.....**South Florida Coastal Oceanographic Database** — *Nelson Melo¹, Thomas N. Lee², Elizabeth M. Johns³, Ryan H. Smith³, Chris R. Kelble¹, and Peter B. Ortner¹*; ¹Cooperative Institute for Marine and Atmospheric Studies, U. of Miami, Miami, FL, USA; ²Rosenstiel School of Marine and Atmospheric Science, U. of Miami, Miami, FL, USA; ³NOAA Atlantic Oceanographic and Meteorological Laboratory, Miami, FL, USA.....(p. 137)
- 31.....**The Non-Native Red Rimmed Melania (*Melanoides tuberculatus*) in Biscayne Bay National Park, Florida, the Geographic Distribution and Potential for the Future** — *James B. Murray¹, G. Lynn Wingard¹, Emily Phillips¹, William B. Schill²*; ¹U.S. Geological Survey, Reston, VA, USA; ²U.S. Geological Survey, Leetown Science Center, WV, USA.....(p. 140)
- 33.....**Evaluating Alternative Plans for the Biscayne Bay Coastal Wetlands Project** — *Patrick Pitts¹, Rick Alleman², Mark Shafer³, Kevin Wittman³, Ernie Clarke³*; ¹U.S. Fish and Wildlife Service, Vero Beach, Florida, USA; ²South Florida Water Management District, West Palm Beach, Florida, USA; ³U.S. Army Corps of Engineers, Jacksonville, Florida, USA.....(p. 143)
- 10.....**Geochemical and Nutrient Concentrations in the Florida Bay Groundwater** — *René M. Price¹, Jeremy C. Stalker¹, Xavier Zapata-Rios¹, Jean I. Jolicoeur², David T. Rudnick³*; ¹Florida International University, Department of Earth Sciences and SERC, Miami, FL, USA; ²Broward Community College, ³South Florida Water Management District, West Palm Beach, FL, USA.....(p. 145)
- 5.....**Regional Patterns of Community Composition and Abundance of Seagrass-associated Fish and Invertebrates in South Florida Estuaries** — *Michael B. Robblee¹, Joan A. Browder², Andre Daniels¹ and Robert M. Dorazio³*; ¹U.S. Geological Survey, Miami, FL; ²NOAA Fisheries, Miami, FL; ³U.S. Geological Survey, Gainesville, FL.....(p. 147)

Poster

No.

- 6 **Use of Habitat Suitability Index Modeling for both Roseate Spoonbills (*Ajaia ajaia*) and American Crocodiles (*Crocodylus acutus*) in South Florida** — *F.J. Mazzotti¹, S.S. Romanach², J.J. Lorenz³, K.L. Chartier¹, M.S. Cherkiss¹, and L.A. Brandt⁴*; ¹ University of Florida, Fort Lauderdale Research and Education Center, Davie, FL, USA; ² US Geological Survey, Davie, FL, USA; ³ Audubon of Florida, Tavernier, FL, USA; ⁴ US Fish and Wildlife Service, Davie, FL, USA(p. 149)
- 32 **Benthic Habitat Mapping in Biscayne National Park** — *Benjamin I. Ruttenberg¹, Andrea Atkinson¹, Andy Estep¹, Judd Patterson¹, Matt Patterson¹, Robert Waara¹, Brian Witcher¹, and Elsa Alvear²*; ¹U.S. National Park Service, South Florida/Caribbean Network, Palmetto Bay, FL USA; ²Biscayne National Park, Homestead, FL USA.....(p. 150)
- 15 **Examining Submarine Groundwater Discharge into Florida Bay using 222Rn and Continuous Resistivity Profiling** — *Peter W. Swarzenski¹, Chris Reich², and David Rudnick³*; ¹U.S. Geological Survey, Santa Cruz, California; ²U.S. Geological Survey, St. Petersburg, FL; ³South Florida Water Management District, West Palm Beach, FL(p. 155)
- 20 **Effects of Habitat Complexity and Nutrient Enrichment on Epifauna Abundance and Diversity in a Florida Bay Seagrass System** — *C. A. Weaver¹, A. R. Armitage¹ and J. W. Fourqurean²*; ¹Department of Ecosystem Science and Management, Texas A&M University, College Station, TX, USA; ²Department of Biological Sciences, Florida International University, Miami, FL, USA(p. 157)
- 4 **Understanding Ecosystem-scale Connectivity: Methods to Track Fish from Open-ocean to Nursery Habitats to Adjacent Reefs and Back Again** — *S. Whitcraft¹, J. Lamkin², T. Gerard², and E. Malca¹*; ¹Cooperative Institute for Marine & Atmospheric Science, University of Miami, Miami FL, USA(p. 159)
- 12 **Power Analysis of Water Quality and Seagrass Monitoring in Caloosahatchee Estuary** — *Deo Chimba and Jing-Yea Yang*, Stanley Consultants Inc., West Palm Beach, Florida(p. 162)
- 16 **Quantity, Timing, and Distribution of Freshwater Flows into Northeastern Florida Bay, 1996-2007** — *Mark Zucker¹, Stephen Huddleston¹, and Jeff Woods¹*; ¹U.S. Geological Survey, Florida Integrated Science Center, Ft. Lauderdale, FL, USA.....(p. 166)