

A Hedonic Analysis of Water Quality and the Chesapeake Bay TMDL

Patrick Walsh

Charles Griffiths

Dennis Guignet

Heather Klemick

US EPA

National Center for Environmental Economics
December 2014 ACES Annual Conference

Disclaimer: The views presented here do not necessarily represent the views of the EPA.



Chesapeake Bay



- Largest estuary in the US
- Drainage basin covers 6 states: NY,
 PA, DE, MD, VA, WV, as well as DC
- Watershed home to more than 17 million people
 - Lots of homes.





Chesapeake Bay Pollution



- History of pollution problems
- Large nutrient inputs and other pollution

 algal blooms, toxic algae, poor water quality, other environmental disamenities.
 - Degraded ecosystems
 - Dead zones, decreased fish, oyster, crab, etc. harvest.

Estimated 200,000 acres of oyster reefs in Colonial times – Today only 36,000.

















Sources of Nitrogen Pollution




Source: Chesapeake Bay Program Phase 4.3 Watershed Model, 05/11. Values do not add up to 100% due to rounding.

Sources of Phosphorus to the Bay



Note: Does not include loads from the ocean, tidal shoreline ension, or direct atmospheric deposition to tidal waters. Wastewater loads based on measured discharges; other loads are based on an average-hydrology year using the Chesapeake Bay Program Watershed Model Phase 4.3 (Chesapeake Bay Program Office, 2009).

Sources of Sediment to the Bay




Note: Does not include loads from the ocean or tidal shoreline erosion. Loads are based on an average-hydrology year using the Chesapeake Bay Program Watershed Model Phase 4.3 (Chesapeake Bay Program Office, 2009).



Chesapeake Bay TMDL



- Extensive restoration efforts over last 25 years
 - Executive Orders, range of state and local efforts
 - Insufficient progress
 - Continued poor water quality
 - Externality
 - PA, NY Farming inputs.
- Dec 29, 2010: Chesapeake Bay Total Maximum Daily Load (TMDL) – historic and comprehensive "pollution diet".
 - Nitrogen (25%), phosphorus (24%) sediment (20%) reductions.
- "Novelty": comprehensive involvement of all state actors in the watershed
 - Externality
 - Using extensive modeling tools and planning coordinated by EPA






Chesapeake Bay TMDL Valuation


- In 2011, EPA committed to assess the benefits and costs of the TMDL.
- NCEE, and Chesapeake Bay Program Office (CBPO).
 - SP Survey (3 years!!!)
 - Commercial and recreational fishing
 - Air Quality Impacts
 - Property price benefits
 - Dredging and several other categories
 - Costs



Property Prices







- Hedonic analysis of water quality in 14 MD counties
- Recreational and aesthetic improvements from the TMDL may be reflected in nearby property prices.



Hedonic Water Quality Literature



- Majority from the **northeastern US**, in **Lakes**
 - Three recent studies in Florida, one on a Bay/Lagoon (Bin and Czajkowski).
- Chesapeake Bay Leggett and Bockstael (2000), Poor et al. (2007)
- Multiple water quality indicators have been used
 - Oil content, turbidity (Feenberg and Mills, 1980) Fecal Coliform (Leggett and Bockstael, 2000), survey responses (Michael et al., 2000), Inorganic Nitrogen (Poor et al., 2007), TN, TP, CH (Walsh et al., 2011) "Location grade" (Bin and Czajkowski, 2013), several others.
- Water clarity is the most prevalent in the literature
 - Michael et al (1996), Boyle et al (1999), Boyle and Taylor (1999), Gibbs et al (2002), Krysel et al (2003), Walsh et al. (2011), Zhang V Tech Dissertation
 - Easily perceived, usually good representation of "quality."
- Majority of studies find a significant relationship between water quality and home prices.





Water Quality Indicator




- Select K_D, the light attenuation coefficient
 - Clarity: $K_D = 1.45/SDM$
 - Good historical data
 - CBPO's water quality model: project scenarios
 - TMDL vs baseline

- Chesapeake Bay has water quality criteria for clarity.
 - SP survey



1991-2000








Property Data








- Full set of parcels/sales from 1996-2008 from MD PropertyView
- GIS Maps
 - Census, waterbodies, zoning, open space



Data



- Water Quality
 - Interpolate historical data from monitoring stations
 - CBPO WQ -> Interpolator cells
 - Approximately 1 km X 1 km
- GIS, Census data
 - High or medium density area, forest, etc
 - Open space, ag., wetlands
 - Dist to primary road, dist to nearest beach
 - Dist to DC or Baltimore
 - Block Group socioeconomic characteristics
 - In Nuclear Evacuation Zone.
 - Within 2 miles of power plant.
 - Dist to Wastewater Treatment Plant (Leggett and Bockstael, 2000)





Mean Values Across Counties



County	Obs	Sale Price ¹	Median HH Income	% Waterfront Properties	0 to 500m Buffer	500 to 1000m Buffer
Anne Arundel	76,842	373,198.5	71,050.3	0.104	0.436	0.232
Baltimore	34,781	167,765.5	46,110.7	0.094	0.403	0.231
Calvert	15,563	307,437.9	67,070.4	0.087	0.285	0.217
Cecil	10,816	250,575.5	52,912.1	0.088	0.282	0.213
Charles	5,397	292,141.8	60,277.3	0.077	0.242	0.229
Dorchester	4,358	217,661.8	39,613.3	0.168	0.383	0.266
Harford	17,483	230,198.7	60,394.6	0.035	0.189	0.208
Kent	3,388	307,314.0	42,557.2	0.141	0.431	0.207
Prince George's	24,969	264,662.2	64,917.9	0.006	0.107	0.194
Queen Anne's	8,674	392,945.1	64,719.4	0.166	0.461	0.264
Somerset	1,681	158,193.8	35,516.4	0.187	0.340	0.334
St. Mary's	5,966	278,966.8	62,988.9	0.108	0.241	0.158
Talbot	8,227	507,353.0	54,573.9	0.196	0.344	0.132
Wicomico	11,368	194,521.0	48,127.2	0.024	0.349	0.294

Sale prices corrected for the seasonally adjusted HPI (Federal Housing Finance Agency).



Water Clarity Across Counties



County	K _D mean (m ⁻¹)	K _D std dev (m ⁻	K _D min (m ⁻¹)	K _D max (m ⁻¹)	Secchi depth (m)	Number of segments ¹	Number of unique grid cells ²
Anne Arundel	1.91	0.45	0.65	10.04	0.80	9	587
Baltimore County	3.15	1.42	1.36	8.05	0.55	6	190
Calvert	1.65	1.04	0.64	8.46	1.06	5	198
Cecil	2.98	1.03	1.30	7.41	0.56	7	222
Charles	2.77	0.79	1.50	5.77	0.56	4	179
Dorchester	2.06	0.72	0.66	9.67	0.78	10	211
Harford	3.77	1.32	1.28	7.65	0.46	3	34
Kent	3.67	1.47	1.13	8.86	0.48	6	140
Prince George's	3.15	1.24	1.22	10.86	0.52	5	164
Queen Anne's	1.89	1.21	0.72	8.86	0.95	7	240
Somerset	2.16	1.04	0.86	8.71	0.80	8	175
St. Mary's	1.75	0.73	0.77	5.19	0.94	3	179
Talbot	1.53	0.61	0.62	7.49	1.04	6	198
Wicomico	3.64	0.77	2.22	8.54	0.42	5	194

Notes: Summary statistics calculated for nearest two grid cells to each property in the county sales dataset located within 2000 meters of the Bay. Secchi depth measurement calculated by the formula SDM = $1.45/K_D$ (EPA, 2003).



¹ CBP divides the Bay mainstem and tidal tributaries into 78 distinct segments, each similar in terms of salinity and other natural characteristics, for monitoring and reporting purposes (EPA, 2004).

² Grid cells refer to the spatial grid of cells CBP uses to interpolate water quality data to. The cells are a maximum of 1km by 1km in size

Methods



Distance buffers

$$\ln(P) = \beta_0 + \beta_{WF} *WF + \beta_{WF_2} \ln(WQ) *WF + \sum \beta_{Di} \ln(WQ_i) *Dist_i + \beta_{D_2} *Dist + \beta_{H} *H + \beta_{L} *L + \beta_{T} *T + \varepsilon$$

- WF, 0-500, 500-1000,1000-1500, 1500-2000
- Regressions estimated for each county
 - Separate markets



... Other Alternatives



- Several others, some later explored in Meta-analysis.
 - Water quality not logged
 - 3 year water quality average, logged and not logged
 - Depth variable
 - Chlorophyll



Spatial Models

TOURD STATEGO TO NOTE CHOOSE TO NOTE

- Spatial dependence
 - Spatially correlated unobserved influences
 - Can cause bias or inconsistency in the estimated coefficients.
- Spatial Weights Matrix
 - Exogenously specify the neighborhood.
 - Nearest neighbor, Inverse Distance
 - Comparable sales
- General Spatial Model:

$$y = \rho W_1 y + X \beta + \varepsilon, \ \varepsilon = \lambda W_2 \varepsilon + u$$

Inc	dividual Cond	dominium Uı	nit Appraisal	Report	File # 11182	0010-1	
There are 6 comparable properties current					to \$ 375	5.000 .	
There are 18 comparable sales in the subject	t neighborhood within	the past twelve mon	ths ranging in sale pr	ice from \$ 195,00		344,000 .	
FEATURE SUBJECT	COMPARABLE SALE # 1 COMPARABLE			LE SALE # 2			
Address and 2118 Bucknell Terrace	2202 Bucknell To	2202 Bucknell Terrace		10737 Bucknell Drive		10821 Bucknell Drive	
Unit # 34	34		18		29		
Project Name and Wheaton Towne 2	Wheaton Towne		Wheaton Square East		Wheaton Square East		
Phase 1	1		1		1		
Proximity to Subject	0.07 miles W		0.19 miles SE		0.15 miles S		
Sale Price \$ 340,00		\$ 344,000		\$ 315,500		\$ 290,000	
	\$ 221.65 sq. π.		\$ 224.08 sq. ft.		\$ 205.97 sq. π.		
Data Source(s)	MLS/Agent LP:		MLS/Visual LP:		MLS/Visual LP:		
Verification Source(s)	Public Records		Public Records		Public Records I		
VALUE ADJUSTMENTS DESCRIPTION	DESCRIPTION	+(-) \$ Adjustment	DESCRIPTION	+(-) \$ Adjustment	DESCRIPTION	+(-) \$ Adjustment	
Sales or Financing	Conv @ Mkt		Conv @ Mkt		Conv @ Mkt		
Concessions	none noted		\$5,500 C.C.		8,600 C.C.	0	
Date of Sale/Time	C1/11S3/11		C3/10S5/10		C6/10S8/10	0	
	Wheaton Towne	0	Wheaton SQ	0	Wheaton SQ	0	
Leasehold/Fee Simple Fee Simple	Fee Simple		Fee Simple		Fee Simple		
HOA Mo. Assessment \$100	\$130		\$223		\$202		
Common Elements Common area	Common area		Common area		Common area		
and Rec. Facilities				10.000			
Floor Location INT TH	INT TH		End TH	-10,000	INT TH		
View Other TH	Other TH		Other TH		Other TH		
Design (Style) Townhouse Quality of Construction Brick	Townhouse		Townhouse		Townhouse		
0	Brick		Brick		Brick		
Actual Age 1967 YB Condition Good	1967 YB Good/new reno	-10,000	1968 YB		1968 YB Good		
Above Grade Total Bdrms. Baths		-10,000	Total Bdrms. Baths	l I	Total Bdrms. Baths		
Room Count 6 3 2.5	6 3 2.5		6 3 2.5		6 3 2.5		
Gross Living Area 1,552 sq. ft		0		+10.800		+10,800	
Condition Good	1,552 sq. 1t.	0	7,400 3q. it.		7,400 sq. it.	+10,000	
Rooms Below Grade RR,HB	RR,HB		RR	+5,000		+5,000	
Functional Utility Average	Average		Average	13,000	Average	10,000	
Heating/Cooling FWA/CAC	FWA/CAC		FWA/CAC		FWA/CAC		
Energy Efficient Items Standard	Standard		Standard		Standard		
Garage/Carport Off street park	Off street park		Off street park		Off street park		
Porch/Patio/Deck Patio	Patio		Patio		Patio		

ummary of Sales Comparison Approach

Due to the paucity of recent sales of condominium townhouses in the subject's Wheaton market area, the comparables utilized are considered the best available. Comparable #1 was purchased as a foreclosure 10/2010, renovated and place back on the market. The townhouse was listed 1/15/2011 and contract in 14 days. According to the listing agent, the investor/contractor spent approximately \$55,000 renovating the comparable. Comparable #1 offered new more expensive kitchen and bathrooms than the subject.

Comparable #1 is located in competing Wheaton Towne Section 1 project. Comparable #2 was an updated end of group unit listed 3/12/2010. Comparable #3 was originally listed 3/17/2010 for \$324,900. Comparables #1, #2 and #3 are the three highest price sales in the past 12 months.

2 fireplaces



Table of Results



			500-1000
	Bayfront	0-500 meters	meters
Anne Arundel	-0.126***	-0.023***	-0.009
Baltimore County	-0.090***	0.009	-0.015*
Calvert	-0.033*	0.001	0.021*
Cecil	0.010	-0.001	0.003
Charles	-0.058	-0.056**	-0.107***
Dorchester	-0.078*	-0.008	-0.013295
Harford	-0.096***	0.001	0.012
Kent	-0.142***	0.008	0.002
Prince Georges	-0.062	-0.001	0.022**
Queen Annes	0.017	-0.060***	-0.068***
Somerset	-0.091	-0.055	-0.141***
St Marys	0.014	-0.015	0.017
Talbot	-0.156***	-0.014	-0.031
Wicomico	0.046	-0.015	-0.010

K_D and clarity inversely related



Overall results



- Across the 14 counties:
 - 10 of 14 have negative waterfront coefficient
 - 7 of which are significant
 - None of the positive waterfront coefficients are significant
 - Mixed results beyond the waterfront
 - Evidence of impacts extending out past 500m in some counties.



Temporal Consistency?


- Length of data questions about temporal consistency of estimates
- Identified several time demarcations to split the data
 - Run regressions on:
 - 1996-2001
 - 1996-2005
 - 2002-2008
 - 2002-2005
 - 2006-2008
- Results were mostly consistent across specifications, with minor differences in magnitude
 - Main difference: 2006-2008 data.
 - Larger variation in magnitude of the implicit prices.
 - However, when full model compared to 1996-2005, adding 2006-2008 did not appreciably change results.



Other Project Components



• Meta-analysis of 14 Counties, specifications





Conclusion


- Significant impact of water clarity in many waterfront counties
- The TMDL has potential to cause significant amount of property price benefits
- For full results (and benefit estimates), report is out spring 2015.




Appendix 1: Sales over time



Total # of Sales



Total # of WF sales





Appendix 2



Percent of Vacant Sales across Counties

