Interagency Collaboration on Biological Control Programs

Dr. Eric Rohrig

Chief, Bureau of Methods Development and Biological Control



Florida Department of Agriculture and Consumer Services Division of Plant Industry

Florida: A Hotbed of Invasive Species

- State of Florida ranks #2 in the US for invasive pest and disease introduction risk, California is #1 (USDA-APHIS).
- Miami Dade County, Florida ranks #1 in the US (USDA-APHIS).
- Florida averages more than 2 new non-native insects, plants or pathogens detected per month (FDACS-DPI).



Invasive Plants in Florida

- Approximately 1,400 non-native plant species established in Florida alone.
- 76 species are Category I invasives: "alter plant communities displacing native species, changing community structures or ecological functions" (FLEPPC)
- Cost estimated at > \$40 million/year to control on public land (local, city, county, state, national, private parks, preserves, forests, wildlife management areas)





Florida Biological Control History

• Classical biological control against invasive plants and insects in Florida date to early 1890's.

• 1900-1925

- 11 species imported in Florida.
- 7 species are known to have been released
- 2 species are considered established
- 1 additional species recorded as established was already widespread in Florida

• 1926-1950

- 28 species imported in Florida
- 24 species known to have been released
- 4 species are considered established
- 4 species establishment is unknown, additional 5 species believed to have already been here (including 1 native).

• 1951-2014

- Over 300 species imported in Florida (many starting in the 1980's)
- Over 130 species released
- ~60 species considered established

Interagency Cooperation on Biological Control Programs

Collaboration plays a key role for the overall success of many programs:

- 1. Funding no program without funds!
- 2. Background research
- 3. Foreign exploration (international collaborators)
- 4. Host range testing data collection/analyzation (quarantine)
- 5. Report compilation for release petitions
- 6. Agent release/distribution (often statewide)
- 7. Mass rearing of agents
- 8. Public outreach (awareness and support) through various media
- 10. Agent monitoring (establishment, spread, and impact)
- 11. Data collection/analyzation
- 12. Publication of results
- 13. Feedback from stakeholders (successful control, cost savings)

Too much work for any one person or agency!!









Institute of Food and Acteultural Sciences

EPARTMENT OF BAR



JSDA

Southwest Florida Water Management District



TheNature

Interagency/University Cooperation/Coordination

- Interagency coordination can improve the quality, quantity, and timeline of research, public outreach, insect production and release, and overall program impact over that which can be achieved by a single agency.
- Agency/university focus can vary: regulatory, research, outreach, land or resource management, etc.
 - allows each individual agency/university to focus on their specific objectives while the collective group works together to achieve a common goal = ultimately, the control of invasive species.
- Shared resources (\$, personnel/labor, data, IT, connections) to supplement each agencies limitations to strengthen the overall project.



Examples of Collaborative Biological Control Programs in Florida

- Many recent projects involve some level of coordination.
- Trend toward increase in coordination as funds and work force size of many agencies/universities decrease.
- A few examples of recent collaborative efforts:
 - * Dioscorea bulbifera (air potato vine)*
 - Solanum viarum (tropical soda apple)
 - Melaleuca quinquenervia (paperbark tree)

Air Potato Vine, Dioscorea bulbifera

- Native to Asia and Africa. Established in southern US and Hawaii.
- Smothers native vegetation, displaces wildlife, decreases biodiversity.
- Spread via aerial tubers. Approximately 1 bulbil produced per alternate leaf axil (2 leaves = 1 bulbil).
- Huge labor and herbicide costs yearly throughout Florida –underground tubers must be removed to prevent
 - yearly re-growth.



Air Potato Biological Control Collaborators

<u>Funding</u>: USDA-APHIS, USDA-ARS, FDACS-DPI, UF-IFAS, Comprehensive Everglades Restoration Project (CERP), Miami Dade County DERM, Army Corps of Engineers (ACE), South Florida Water Management District (SFWMD), Florida Fish and Wildlife (FWC).

<u>Foreign exploration/ Insect collection</u>: USDA-ARS-IPRL, Australian Biological Control Laboratory (ABCL), Nepal Agricultural Research Council (NARC) and Chinese Academy of Sciences (CAS) for search, shipment of natural enemies of air potato vines and other indirect supports.

Parasitoid host range testing (quarantine) and petition to release: USDA-ARS-IPRL

Extension activities/outreach: USDA-ARS, UF-IFAS, FDACS-DPI

Insect mass rearing : USDA-ARS-IPRL, FDACS-DPI, UF-IFAS

<u>Insect releases</u>: USDA-ARS, FDACS-DPI, UF-IFAS, Georgia Forestry Commission, LSU, Nature Conservancy, DEP, Boy Scouts of America, FDOT, local, city, state, and county personnel from numerous agencies, many elementary, middle, high school and colleges throughout Florida, and well over 1,500 "private" Florida citizens.

Data collection and publication: UF-IFAS; USDA-ARS; FDACS-DPI; FAMU

Air Potato Biocontrol Agent: Lilioceris cheni (Coleoptera: Chrysomelidae)

- Discovered in Nepal and China.
- Released in Florida from 2011 present.
- Over 500,000 beetles released in nearly 50 Florida counties (+GA and LA), majority during past 5 summers.
- Drastic reduction in vine biomass and bulbil production in many areas of Florida.
- Numerous current and completed multi-agency research projects.
- Numerous multi-agency publications.







June 2012

August 2013

August 2014

Air Potato Working Group

Started a bi-annual working group to maximize our efforts and impact:

- Technology transfer of rearing techniques
- Insect sharing
- Funding opportunities
- Planning and updates of research projects and priorities
- Release coordination
- Extension and outreach activities
- Publication ideas and responsibilities
- Host range testing of bulbil feeding beetle (*Lilioceris* egena)



UF Collaborative Air Potato Biocontrol Website

http://bcrcl.ifas.ufl.edu/airpotatofiles/airpotatoforms.shtml



**Gold Award Winner (2016), Association of Natural Resource Extension Professionals

Contents:

- Program information
- FAQ's
- How to request beetles
- Air potato online IPM course
- News article
- Publications
- Posters/sketches –outreach materials





Coordinated Insect Production and Release



Coordinated Research

Air potato biocontrol extension needs assessment

- determined the characteristics, needs and priorities of the target audience
- analyzed perceived knowledge of air potato and the role of IPM and biological control in the plant's management
- analyzed end users' preferred methods of obtaining information on air potato IPM strategies
- determined types and numbers of educational resources currently being used by end users to manage air potato
- Beetle impact on vine infestations and native plant ecosystems - established long term field research sites to monitor impact over time (vine and bulbil decrease, increase in native vegetation, diversity)
- •Release and distribution of air potato biocontrol agent in Florida (2012-2015) - statewide survey at 113 randomly selected air potato infestations in 67 counties to determine distribution and impact, dispersal, rate of spread
- Growth and biomass production by air potato vines generated from bulbils - determine growth and bulbil production from various size bulbils of both brown and tan morphotypes
- Air potato management plan for Florida
- Host range validation, molecular identification, and release and establishment of a air potato beetle - importation, host range testing, initial release and establishment of Chinese biotype
- Organisms feeding and/or developing on air potato vine in Florida (other than biocontrol agent)
- Air potato beetle biotype hybridization studies
- Artificial diet production for mass rearing beetles without need for live vines as a food source
- Field host specificity (naïve vs. experienced treatments)
- Beetle overwintering ability
- south vs central vs north Florida (Chinese and Nepalese biotype)
- body fat reserve comparison through overwintering period
- Beetle establishment and dispersal
- how many beetles are required to achieve establishment?
- Beetle fecundity, longevity, cold tolerance (lab)
- Economic evaluation to determine economic benefits of the biocontrol program to Florida.





Program Outreach and Education

Outreach conducted by numerous agencies for maximum impact :

- Beetle release events (parks, schools, garden clubs)
- Beetle giveaways education events open to public (parks, environmental groups)
- Posters, flyers, temporary tattoos, stickers, t-shirts
- Media television, newspaper, internet
- Air potato roundups
- Publications
- State fair
- UF-IFAS extension events
- Presentations
- General public releases





Air Potato Citizen Science Website

. Air Potato Patrol



Join the Air Potato Patrol and Become a Citizen Scientist Today.

The Air Potato Patrol is a citizen science project that involves scientists and researchers with the USDA, State of Florida and University of Florida and of course you – citizens concerned about the effects of invasive species on our economy and environment.

Our goal is to educate and involve as many members of the public as possible to help control air potato vine in Florida.

How we plan on doing that is to involve YOU in the process as our eyes on the ground and around the state.

Science is making great strides in better understanding air putato vine, how to stop its spread and how to better control it, but we need your help.

What Is Citizen Science?

Consequences and a set of a second second second second a set of a second se





How Do You Become a Citizen Scientist?

HEATTING DATA PARTING have seen of memory minimum particle particles for a second or ment or base where an oracle stress, office shellow places, benefits ones have lines interched or second stress and ever seen second stress particle bases.

The set of all in the board provider to also at the inglessing with a provider of the set.

The set of a set of the set of th

Here a game the second or the second of the prime is have a larger from the second or a second of the prime is the second or the

LOT'S GAT STARTED -

http://airpotatobeetle.com

- Educate and involve the general public about the program and effects of invasive species on Fl. Economy and environment
- Take online training and pass pretest to submit info.
- Public report vine growth, beetle activity and impact throughout the year.

Paperbark Tree, Melaleuca quinquenervia

- Native to Australia
- First introduced to Florida in 1906.
- Took over hundreds of thousands of acres in the Everglades
- Prolific seeder







Melaleuca Biological Control Collaborators

Funding: USDA-ARS, SWFWMD, USACE, FWC, Miami Dade County DERM

Foreign exploration/ Insect collection: USDA-ARS: IPRL and CSIRO Australia

Parasitoid host range testing (quarantine): USDA-ARS-IPRL, UF-IFAS

Petition for agent release: USDA-ARS-IPRL

Extension activities/ outreach: USDA-ARS-IPRL, UF-IFAS

Mass rearing and release of agent: USDA-ARS-IPRL, UF-IFAS

Data collection and publication: USDA-ARS-IPRL, UF-IFAS, U of M





Melaleuca Agents: Four Species Imported From Australia

- Oxyops vitiosa: leaf weevil, released in 1997
- Boreioglycaspis melaleucae: psyllid, released in 2002
- Fergusonina turneri: bud gall-fly, released in 2005 (not established)
- Lophodiplosis trifida: stem-gall midge, released in 2008

Together, drastically reducing melaleuca in Florida!!!





Tropical Soda Apple (TSA), Solanum viarum

- Native to South America (Brazil, Argentina, Paraguay, Uruguay)
- First found in Florida in 1988. Established throughout SE USA. >0.5 million Hectares in 11 states, displacing native grasses, major pasture pest.
- Seeds (40,000/plant) dispersal by cattle and wildlife feeding on fruits (50-100 fruits/plant)
- Florida ranchers were losing US \$6.5 to 16 million annually.
- Heavy herbicide use in Comprehensive Everglades Restoration Plan (CERP) areas.

Spiny bush (1-2 m high) known as 'The Plant from Hell'

Tropical Soda Apple Biological Control Collaborators

Funding: USDA-APHIS, UF-IFAS, FDACS-DPI, SWFWMD

<u>Foreign exploration/ Insect collection</u>: UF-IFAS, USDA-ARS Hurlingham, Argentina, USDA-ARS – MS, FL, Universidade Paulista de Jaboticabal, Universidade Federal de Curitiba, Universidade de Santa Catarina, Blumenau, Universidade de Parana, Irati – Brazil, Museo de Entomologia - Paraguay.

Parasitoid host range testing (quarantine): UF-IFAS; USDA-ARS Lab Hurlingham, Argentina; USDA-ARS, MS; USDA-APHIS, FL; Universidade Paulista de Jaboticabal, Universidade Federal de Curitiba, Universidade de Santa Catarina, Blumenau, Universidade de Parana, Irati – Brazil.

<u>Petition for agent release</u>: UF-IFAS; USDA-ARS Lab Hurlingham, Argentina; USDA-ARS, MS

Extension activities/outreach: UF-IFAS, FDACS-DPI

Mass rearing and release of agent: UF-IFAS; FLDACS-DPI; USDA-ARS; USDA-APHIS

Data collection and publication: UF-IFAS; USDA-ARS; USDA-APHIS; FDACS-DPI; FAMU

TSA agent: Gratiana boliviana (Coleoptera: Chrysomelidae)

June 2007

- Discovered in Paraguay
- Rereleased in Florida from 2003 to 2011
- Over 250,000 beetles released
- Drastically reduced TSA throughout Florida. Also, greatly reduced labor and herbicide use/costs.

Continued collaboration is essential for future funding and maximum effectiveness

Interagency coordination can improve the quality, quantity, and timeline of research, public outreach, insect production and release, and overall program impact over that which can be achieved by a single agency.

Some federal funding sources show move toward awarding collaborative projects funds more often and higher amounts than single agency proposals.

Dr. Gary R. Buckingham (Dec. 7, 1942 – Jan. 2016, 2017)

BS Agriculture from Purdue University (1964) Ph.D. Entomology from University of California, Berkeley (1975) USDA-ARS Entomologist 1970-2004 (Rome, Italy and Gainesville, Florida)

Biocontrol of *Melaleuca quinquinervia* (melaleuca), *Lygodium microphyllum* (old world climbing fern), Alternanthera philoxeroides (alligator weed), *Myriophyllum spicatum* (Eurasian watermilfoil), *Hydrilla verticillate* (hydrilla), and *Eichhornia crassipes* (waterhyacinth).

Conducted foreign exploration for biocontrol agents in 20 countries. Visited an additional 19 countries to lecture or attend meetings.

Avid photographer

Lilioceris cheni (Coleoptera: Coccinelidae), biocontrol agent of air potato vine, Dioscorea bulbifera, in Florida

Questions??

USDA JS

United States Department of Agriculture Agricultural Research Service

UNIVERSITY of FLORIDA