

Large Whale Disentanglement: Saving North Atlantic Right Whales, One Entangled Whale at a Time

Clay George Nongame Conservation Section Brunswick, GA



Acknowledgments

- Center for Coastal Studies
- Coastwise Consulting
- Florida FWC
- Georgia DNR
- Harbor Branch Oceanographic Institute
- MarEcoTel
- New England Aquarium
- NOAA
- Sea to Shore Alliance
- University of Florida

- UNC Wilmington
- Woods Hole Oceanographic Institution
- Work done under NOAA permits# 18786, 931-1905/MA-009526, 594-1759, and 15488
- Funding from NOAA Fisheries and DNR Nongame Conservation Fund
- Photos by DNR, FWC and S2S unless otherwise noted




North Atlantic right whale (Eubalaena glacialis)



\bigcirc

Distribution








Distribution






Population Dynamics



from Pace et al. 2017. State-space mark-recapture estimates reveal decline in abundance of North Atlantic right whales. Ecology and Evolution 7: 8730-8741.




Population Dynamics






Population Dynamics




Post-2010 Distribution Shift






Declining Calf Production







...And It Gets Worse From There



How Do Entanglements Happen?



Trap/Pot Gear



S. Landry/CCS



Effects of Entanglement





Effects of Entanglement





Atlantic Large Whale Disentanglement Network






Network Objectives

- Document fishing gear
- Document impacts to whales
- •Increase awareness
- •Ensure responder safety w/ standard protocols and training
- Disentangle whales when possible




Toolbox: Safety and Training





Toolbox: Satellite Tracking







Toolbox: Buoys and Grapples









Toolbox: Cutting Tools







Detection, First Response and Assessment





Case Study: Right Whale #3530 "Ruffian"







Case Study: Right Whale #3530 "Ruffian"







Case Study: Right Whale #3911 "Bayla"





Sedation Methods

Estimated weight = 7,000 kg

Sedation:

14 mL x 50 mg/mL butorphanol + 14 mL x 50 mg/mL midazolam IM at 10:23


Reversal:*

56 mL x 50 mg/mL naloxone + 7 mL x 0.1 mg/mL flumazenil IM at 11:43

Antibiotic:

24 mL x 220 mg/mL ceftiofur

*syringe did not deploy









Case Study: Right Whale #3911 "Bayla"







Disentanglement Is Not the Solution






Right Whale #4193





Rope Is the Problem



Thicker, Stronger Rope Causes More Severe Injuries

